

EAST Search History**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|--------------|-------------|---|---|-------------------------|----------------|---------------------|
| L1 | 14799 | (pipeline\$2 adj process\$4) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L2 | 8431 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L3 | 1122 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L4 | 456 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L5 | 219 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L6 | 132 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer and index\$4 | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L7 | 100 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer and index\$4 and (packet or frame or cell) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L8 | 26 | (pipeline\$2 adj process\$4) and ((instruction or command) same memory) and (((command or instruction) with (parameter)) same memory) and pointer and index\$4 and ((packet or frame or cell) with header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L9 | 5195 | (pointer same (command or instruction) same (parameter or variable)) and (@rlad< "20040330" or @ad< "20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L10 | 1473 | (pointer with (command or instruction) with (parameter or variable)) and (@rlad< "20040330" or @ad< "20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L11 | 328 | (pointer with (command or instruction) with (parameter or variable) with memory) and (@rlad< "20040330" or @ad< "20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L12 | 20 | ((pointer with (command or instruction) with (parameter or variable) with memory) same packet) and (@rlad< "20040330" or @ad< "20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L13 | 23 | ((pointer with (command or instruction)) same (pointer with (parameter or variable)) same memory same packet) and (@rlad< "20040330" or @ad< "20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L14 | 23 | ((pointer with (command or instruction)) same (pointer with (parameter or variable)) same memory same packet) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L15 | 1271 | (((command or instruction or operator)) same ((parameter or variable or operand)) same memory same packet) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L16 | 225 | (((command or instruction or operator)) with ((parameter or variable or operand)) with memory with packet) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L17 | 1738 | (pointers with instruction with (parameter or variable or operand)) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L18 | 887 | (pointers with instruction with (operand)) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L19 | 58 | (pointers with command with (operand)) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L20 | 6486 | advantage with pointers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L21 | 989 | advantage adj2 pointers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| L22 | 463 | advantage adj pointers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L23 | 546 | advantage with using with pointers | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L24 | 546 | advantage with using with pointer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L25 | 14 | (advantage with using with pointer) and "370"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L26 | 2 | ((pointer with (command or instruction) with (parameter or variable) with memory) same packet) and (pipeline \$2 with process\$3) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L33 | 2184 | (pointer same (command or instruction) same (parameter or variable) same memory) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L34 | 138 | (pointer same (command or instruction) same (parameter or variable) same memory).ab. and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L35 | 14 | (pointer same (command or instruction) same (parameter or variable) same memory same (data with structure)).ab. and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| L36 | 4 | (pointer same (command or instruction) same (parameter or variable) same memory).ab. and packed and burst and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L37 | 55 | (pointer same (command or instruction) same (parameter or variable) same memory) and packed and burst and (@rlad<"20040330" or @ad<"20040330") not L36 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L38 | 38 | (packed with instruction) and (burst with data) and (@rlad<"20040330" or @ad<"20040330") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L39 | 1798 | (packed with instruction) and (@rlad<"20040330" or @ad<"20040330") not L38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L40 | 281 | (packed adj instruction) and (@rlad<"20040330" or @ad<"20040330") not L38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L41 | 33 | (packed adj instruction).ab. and (@rlad<"20040330" or @ad<"20040330") not L38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L42 | 35 | (packed adj instruction) and (data adj structure) and (@rlad<"20040330" or @ad<"20040330") not L38 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L43 | 2 | "20070291754".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| L44 | 3774 | ((pointer adj table) and (@rlad<"20040330" or @ad<"20040330") | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L45 | 293 | ((pointer adj table) same instruction) and (@rlad<"20040330" or @ad<"20040330") | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L46 | 38 | ((pointer adj table) same instruction).ab. and (@rlad<"20040330" or @ad<"20040330") | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L47 | 38 | ((pointer adj table) same instruction).ab. and (pointer adj table) and (@rlad<"20040330" or @ad<"20040330") | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L48 | 240 | ((pointer adj table) same (data or mask).ab. and (pointer adj table) and (@rlad<"20040330" or @ad<"20040330") | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |
| L49 | 5 | ((pointer adj table) same (operand).ab. and (pointer adj table) and (@rlad<"20040330" or @ad<"20040330") | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/20 13:55 |

4/20/2010 1:57:50 PM

C:\Documents and Settings\sahmed\My Documents\EAST\Workspaces\10814774-March-16-2009-Chu_case.wsp